

Zellige Nautical


AUTHENTIC MOROCCAN ZELLIGE TILE

A R T I S A N

STUDIO JBC

T I L E

FIELD TILES



DOCKSIDE 4x4, 2x6



SANDBAR 4x4, 2x6




SEAGLASS 4x4, 2x6



DRIFTWOOD 4x4, 2x6



ANCHOR 4x4, 2x6



LAGUNA 4x4, 2x6




FOG 4x4, 2x6


MOSAICS



PIERSTONE



BOARDWALK



OFFGRID



WINDROSE



SIZE AVAILABILITY

	NOMINAL SIZE	THICKNESS	PC/Box	SQ.FT/Box
FIELD TILE	2" x 6"	≈ 3/8"	100	8.07
FIELD TILE	4" x 4"	≈ 3/8"	100	10.76
BOARDWALK	12" x 12"	≈ 3/8"	11	11
OFFGRID	10" x 10"	≈ 3/8"	18	12.50
PIERSTONE	11.25" x 11.25"	≈ 3/8"	11	9.67
WINDROSE	11.80" x 11.80"	≈ 3/8"	11	10.65

Zellige Nautical

AUTHENTIC MOROCCAN ZELLIGE TILE

ARTISAN

STUDIO JBC

TILE

SPECIFICATIONS

4" x 4"

2" x 6"

MOSAICS

MATERIAL TYPE	ZELLIGE TERRACOTTA	ZELLIGE TERRACOTTA	ZELLIGE TERRACOTTA
FINISH	GLOSSY	GLOSSY	GLOSSY
EDGE	HAND-CUT	HAND-CUT	HAND-CUT
COLOR VARIATION	V3	V3	V3
PRINTING	N/A	N/A	N/A
INSTALLATION	WALL	WALL	WALL
USAGE	RESIDENTIAL/COMMERCIAL	RESIDENTIAL/COMMERCIAL	RESIDENTIAL/COMMERCIAL
GROUT JOINT RECOMM.	N/A	N/A	N/A
THICKNESS	≈ 3/8"	≈ 0.59"	≈ 3/8"
SHOWER PAN	No	No	No
POOL LINING*	No	No	No
FIREPLACE SURROUND*	YES	YES	YES
FROST RESISTANT	No	No	No

*Proper installation methods must be followed per project. Please reference TCNA for more information.

- Special Considerations for Zellige Tile:
- Variation in caliber, flatness, straightness, texture, design and shade are present and inherent to the manufacture process of real zellige products.
 - Chips, pinholes and other imperfections are common in zellige tiles and are not defective. Material with these characteristics are not subject for exchange or return.
 - It is highly recommended to mix pieces from multiple cartons prior to installation in order to achieve a natural shade variation throughout the installation.
 - Zellige tiles look beautiful installed with or without grout, and with a variety of grout joint thicknesses. When installing in a wet area, grouting and sealing will be necessary.
 - Industry standard recommends overage by 15% in order to account for shortage due to tile cuts, breakage and future repairs.
 - Please contact your JBC rep for custom colors on orders over 500sq/ft
 - In stock and ready to ship immediately