



Premier IS-2

by Clearlight®



Features

Therapeutic Far Infrared Heaters

Clearlight's exclusive True Wave® Far Infrared Heaters are the only patented low EMF heaters on the market. True Wave's combination carbon/ceramic low EMF/ELF heaters surround you in healing infrared heat.

Doctor Designed Ergonomic Bench

Relax in comfort in your sauna with our reversible bench.

Elegant Details

Beautiful tongue and groove wood and attention to detail set our furniture quality sauna cabins apart.

Beautiful Accent Lights

Energy efficient LED lights highlight the beauty of your sauna while providing gentle ambient lighting.

Built-in Ergonomic Backrest

Relax close to the soothing infrared heat against the Chiropractor designed built-in ergonomic backrest.

Combination Door Handle/Tablet Cradle For Easy Media Viewing

Place your tablet on the door handle for easy viewing of your favorite shows or movies.

Exclusive Under Floor Foot Heater

All Clearlight Sanctuary Saunas include a heater underneath the wood floor to enhance your sauna session.



Enhanced Audio Sound System

Bluetooth and AUX inputs makes it easy to connect and listen to your audio devices.



Beautiful Wooden Light Shade

Your sauna sessions are enhanced with the relaxing inside light for that true sauna feel.



Chromotherapy

Your Premier sauna comes standard with our Chromotherapy system, featuring 15 LED lights in an array of 6 colors. Enjoy calming, moderate-intensity light to help relax and restore during each session.





Low EMF/ELF

Using ultra-sensitive testing equipment, our proprietary heaters cancel out both EMF and ELF, making them the safest on the market.

Premier IS-2

by Clearlight®





Installation Notes:

!!

If you plan to build the sauna into an enclosed area, please contact your Infrared Sauna Specialist to ensure proper installation clearance and service access.

* See last page for full details.



120 V / 15A Electrical Circuit Required
NEMA 5-15P

Specifications

Construction Eco-Certified Wood Choices: Mahogany Exterior/ Interior Basswood Exterior/ Interior Tongue & Groove Construction	Exterior Width: 50" Depth: 44" Height: 76" Roof overhang: 6 5/8"	Interior Width: 45" Depth: 40" Height: 71"	Door Length: 65" Width: 23 3/4"	Ergonomic Reversible Bench Width: 43" Depth: 22" Height: 17 1/2" Weight limit: 350 lbs per person	Bench Support Length: 33 1/4" Width: 15 3/4"	Heaters True Wave® Far Infrared Heaters Power 120V / 1,720W / 14.5A	Limited Lifetime Residential & 5 Year Commercial Warranty Cabinetry & Glass Electrical Heaters Controls
Weight 395 lbs							

Premier IS-2

by Clearlight®

Individual panel sizes, laying flat, in inches.

Panel	Length	Width	Height
Wood Roof	50 ¼	50 ¼	3 ½
Floor	43 ¾	50	2 ½
Left Side	71 ¼	38 ¾	4
Right Side	71 ¼	38 ¾	4
Back Wall	71 ¼	49 ¼	5
Front Wall	71 ¼	49 ¼	3 ¾



Attention: Make sure largest panel can fit through all access points from location entrance to sauna set up location.

Electrical Wire Requirements:

- 15 Amp saunas are 14 AWG
- 20 Amp saunas are 12 AWG
- Single Phase / 3 wire: 2 x live/ground - for 120V

Installation and Clearance Requirements

Your sauna is designed as a standalone unit and must be fully accessible on all sides and above for any service related needs.

Minimum Installation Requirements (for proper setup and airflow):

- 4 inches of clearance on all sides
- 6–8 inches of overhead clearance is recommended
- If the ceiling is less than 8 feet tall, please discuss your installation with a Sauna Specialist.

*These clearances allow for basic airflow and safe installation. Additional space may be needed if not professionally installed by our recommended 3rd party.

Customer Responsibility

If service is needed, the sauna must be fully accessible on all sides and the top. The customer is responsible for moving or removing any surrounding structures or facades to provide necessary access.

Add On


Can't have both upgrade heater and Red Light simultaneously.

Surface Requirements

Make sure sauna is placed on a level surface

Upgraded Electrical

If you purchase a Red Light Therapy CORE Tower or upgraded heater to place in your sauna, your electrical requirements change to the following required plug:
120V / 20 AMP Electrical circuit required: NEMA 5-20P



NEMA 5-20P